



**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/729,969	12/09/2003	Masayuki Iwasaki	040894-5982	2211
55694	7590	06/12/2007		EXAMINER
DRINKER BIDDLE & REATH (DC)				GIESY, ADAM
1500 K STREET, N.W.				
SUITE 1100			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20005-1209			2627	
				MAIL DATE
				DELIVERY MODE
			06/12/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No.	Applicant(s)
	10/729,969	IWASAKI ET AL.
Examiner	Art Unit	
Adam R. Giesy	2627	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) Responsive to communication(s) filed on 19 March 2007.
- 2a) This action is FINAL.                    2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) Claim(s) 1-8 is/are pending in the application.
  - 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) Claim(s) \_\_\_\_\_ is/are allowed.
- 6) Claim(s) 1-8 is/are rejected.
- 7) Claim(s) \_\_\_\_\_ is/are objected to.
- 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 09 December 2003 is/are: a) accepted or b) objected to by the Examiner.
 

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) All    b) Some \* c) None of:
    1. Certified copies of the priority documents have been received.
    2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1) <input type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____.
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)	5) <input type="checkbox"/> Notice of Informal Patent Application
Paper No(s)/Mail Date _____.	6) <input type="checkbox"/> Other: _____.

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

2. Claims 1-6 are rejected under 35 U.S.C. 102(a) as being anticipated by Noborimoto et al. (hereinafter Noborimoto – US Doc. No. 2002/0085467 A1).

Regarding claims 1-6, the rejections applied to claims 1-6 in the previous Office Action, mailed on 10/18/2006, are herein repeated for the same reasons (see Response to Arguments).

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noborimoto et al. (hereinafter Noborimoto – US Doc. No. 2002/0085467 A1).

Regarding claim 7, Noborimoto discloses all of the limitations of claim 1 as discussed in the claim 1 rejection above. Noborimoto does not disclose that the first electrode pattern corrects for aberration in only the first disc type. Examiner asserts that it would have been obvious to one of ordinary skill in the art at the time the invention

was made to configure one of two electrodes to work with one disk type and the second of two electrodes to work with another disc type, since it has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchison*, 69 USPQ 138.

Regarding claim 8, Noborimoto discloses all of the limitations of claim 4 as discussed in the claim 4 rejection above. Noborimoto does not disclose that the first electrode pattern corrects for aberration in only the first disc type. Examiner asserts that it would have been obvious to one of ordinary skill in the art at the time the invention was made to configure one of two electrodes to work with one disk type and the second of two electrodes to work with another disc type, since it has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchison*, 69 USPQ 138.

#### ***Response to Arguments***

5. Applicant's arguments filed 3/19/2007 have been fully considered but they are not persuasive.

Applicant, on page 6 of the response filed on 3/19/2007, argues that Noborimoto does not disclose electrode patterns that are configured to correct aberrations of a first and second disc type. Examiner respectfully disagrees. Examiner asserts that Noborimoto discloses detecting one of three types of discs and then altering the voltage

to the electrode patterns in order to correct the aberration for each type of disc (see page 5, paragraphs 0061-0063).

Applicant also argues that the first pattern if configured only to work with the first disc type and the second pattern is configured to only work with the second disc type. Examiner asserts that it would be obvious to adapt one electrode to work for one disc type and another electrode to work for another disc type as discussed above.

Further, it should be emphasized that "apparatus claims must be structurally distinguishable from the prior art." MPEP 2114. *In re Danly*, 263 F. 2d 844, 847, 120 USPQ 528, 531 (CCPA 1959) it was held that apparatus claims must be distinguished from prior art in terms of structure rather than function. In *Hewlett-Packard Co. v Bausch & Lomb Inc.*, 909 F.2d 1464, 1469, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990), the court held that: "Apparatus claims cover what a device is, not what it does" (emphasized in original). To emphasize the point further, the court added: "An invention need not operate differently than the prior art to be patentable, but need only be different" (emphasized in original).

### ***Conclusion***

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within


TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam R. Giesy whose telephone number is (571) 272-7555. The examiner can normally be reached on 8:00am- 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne R. Young can be reached on (571) 272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ARG 5/30/2007



WAYNE YOUNG  
SUPERVISORY PATENT EXAMINER